# Weill Cornell Imaging

## - New York-Presbyterian 🛞 Weill Cornell Medicine

Patient Information		
Patient Name		NYP MRN
DOBWeight		
Signs and Symptoms / ICD-10 Codes		
Appointment Information		Patients: Please review exam prep instructions on reverse side
Exam Date	Exam Time	Date Ordered
Cardiovascular CT Locations: 🗆 1305 York Ave 🗆 1283 York Ave 🗇 53 Beekman St 🗇 28-25 Jackson Ave 🛛 520 East 70th St		
Physician Information	Want electr	onic results and images? Email wcinyp-liaison@med.cornell.edu
Physician Name		NPI
Physician Address		PhoneFax
Physician Signature		STAT Read:   call
Cardiovascular CT Requisition		
Order Information		
CALCIUM SCORE ONLY: CT Cardiac without IV Contrast — Calcium Score [CPT 75571]		
<ul> <li>CORONARY ARTERIES: CT Angiography Cardiac with + without IV Contrast — Coronary Arteries [CPT 75574]</li> <li>Low-dose radiation exam without LV function, includes calcium score if appropriate (select one):         <ul> <li>Coronary*</li> <li>Coronary + CABG</li> <li>Add LV function (standard-dose radiation)</li> <li>*Add CT-FFR (fractional flow reserve derived from CT), if indicated [CPT 75580]</li> </ul> </li> <li>TAVR: Select One: CT Cardiac — TAVR [CPT 75572] <i>Pre-procedural imaging for TAVR (standard)</i></li></ul>		
Additional Imaging:		
Clinical Information		
For Contrast Exam:For Coronary Artery Exam:Last Creatinine Level/Date:Contraindications to Nitrates?Contrast Allergy?NoIf yes, describe allergy:YesAny coronary stents?NoYes		
ICD-10 CODES (select all that apply):		
<ul> <li>Chest pain, unspecified R07.9</li> <li>Old myocardial infarction 125.2</li> <li>Chronic ischemic heart disease, unspecified 125.9</li> <li>Atherosclerotic heart disease of native coronary artery with unspecified angina</li> </ul>	<ul> <li>Abnormal result of other cardiov function study R94.39</li> <li>Unspecified atrial fibrillation I48</li> <li>Nonrheumatic aortic valve disor unspecified I35.9</li> <li>Nonrheumatic mitral valve disor unspecified I34.9</li> <li>Disease of pericardium, unspecified Dissection of thoracic aorta I71.</li> </ul>	□ Congenital malformation of heart, unspecified Q24.9 der, □ Congenital malformation of cardiac chambers and connections, unspecified der, Q20.9 □ Congenital malformation of great arteries, unspecified Q25.9

□ Other:

rupture I71.2

unspecified angina pectoris 125.709

# Weill Cornell Imaging

回深流

## - New York-Presbyterian 🛞 Weill Cornell Medicine

## Cardiovascular CT Preparation Instructions


### **Patient Instructions**

- Chest should be shaved (if needed) for ECG leads to be placed
- Bring this prescription slip and any prior outside films to appointment for comparison
- Consult insurance company for any inquiries regarding referrals and pre-certifications

#### Medical Records

## View and share your images and reports anytime, anywhere with Connect

 $\odot$  Scan the QR code to learn how to view, share and download your imaging studies



### **Exam Instructions**

CALCIUM SCORE ONLY: CT Cardiac without IV Contrast — Calcium Score [CPT 75571]

No fasting requirements

**CORONARY ARTERIES:** CT Angiography Cardiac with + without IV Contrast — Coronary Arteries [CPT 75574]

- No fasting requirements
- No Phosphodiesterase Type 5 Inhibitor (such as VIAGRA<sup>®</sup>, CIALIS<sup>®</sup>, LEVITRA<sup>®</sup>, etc.) for two (2) days prior to exam
- Heart rate lowering medications and sublingual nitroglycerin are typically given for coronary evaluation
- Please plan to stay a minimum of one and a half (1.5) hours

TAVR: CT Cardiac — TAVR [CPT 75572] or CT Angiography Cardiac — TAVR [CPT 75574]

• No fasting requirements

PULMONARY VEIN: CT Cardiac with IV Contrast — Pulmonary Vein [CPT 75572]

• No fasting requirements

NON-CORONARY ARTERY: CT Cardiac with IV Contrast — Non-Coronary Artery [CPT 75572]

No fasting requirements

CONGENITAL: CT Cardiac with IV Contrast — Congenital [CPT 75573]

- No fasting requirements
- If includes Coronary Arteries, no Phosphodiesterase Type 5 Inhibitor (such as VIAGRA<sup>®</sup>, CIALIS<sup>®</sup>, LEVITRA<sup>®</sup>, etc.) for two (2) days prior to exam
- Heart rate lowering medications and sublingual nitroglycerin are typically given for coronary evaluation
- Please plan to stay a minimum of one and a half (1.5) hours